

#### LA-UR-21-24501

Approved for public release; distribution is unlimited.


Title: MONITORING AND ENHANCING PLANT PRODUCTIVITY

Author(s): Sevanto, Sanna Annika

Intended for: Web

Issued: 2021-05-10







## Tech Snapshot Earth and Environmental

Published: May 10, 2021

# MONITORING AND ENHANCING PLANT PRODUCTIVITY

Improving plant drought tolerance, water and nutrient use efficiency and reducing greenhouse gas emissions from agriculture and natural systems



#### **SUMMARY**

Researchers at Los Alamos National Laboratory are developing extensive capabilities to improve plant drought tolerance; water and nutrient use efficiency and reduce greenhouse gas emissions from agriculture and natural systems. By monitoring plant function, stress responses, water and nutrient use, greenhouse gas emissions, and analyzing rhizosphere and plant microbiomes, results have shown improved plant performance and stress tolerance, production of plant pro- and prebiotics, and ability to control greenhouse gas emissions from indoor and outdoor agricultural systems. We seek a commercialization partner to fund precision agriculture specific research & development (R&D) through a Cooperative Research and Development Agreement (CRADA). Our goal is to further research and develop our laboratory scale capabilities with a collaborative partner to achieve two goals: 1) reduce the use of water and fertilization in agricultural systems; and 2) create carbon neutral food and energy technologies to support precision agriculture at commercial scale.



#### MARKET APPLICATION

The precision farming market is the primary market opportunity with a focus on traditional and vertical agriculture in greenhouse and outdoor settings. In 2020, the vertical agriculture target market valued at ~\$4 billion. An essential element of precision farming is the intense focus on observation, measurement and responses to variability in crops, fields and animals. Our unique scientific methods and capabilities at the laboratory scale to optimize plant carbon uptake, measure plant productivity, nutrient, and water use and monitoring greenhouse gas

#### **BENEFITS**

Our capabilities in monitoring and enhancing plant productivity.

- In situ monitoring of plant performance, and greenhouse gas production and uptake of agricultural systems
- Accurate measurements and understanding of plant carbon, water and nutrient uptake for enhanced performance predictability
- Enhanced remote sensing and other fast detection methods for quick phenotyping
- System-level analyses of plant-soil-microbiome interactions using data science techniques such as machine learning
- Engineered pre- and probiotics to enhance plant productivity and nutrient and water use efficiency

#### CONTACT

Marc Witkowski witk@lanl.gov 505-665-8315



significantly reduce the cost and increase the profits of food and biofuel



### WHY WE ARE BUILDING WITTOWN AND ENHANCING PLANT limiting their environmental impact.

Currently, we have internal research and development funds to further develop our scientific methods and explore new observational techniques and technology that may have a direct positive impact on large-scale greenhouse productivity and profitability. Our goal is to further research and develop our laboratory scale capabilities with a collaborative partner to achieve two goals: 1) reduce the use of water and fertilization in agricultural systems; and 2) create carbon neutral food and energy technologies to support precision agriculture at commercial scale. To achieve our goals, we plan to optimize microbiomes associated with plant roots to improve plant performance and allow adaptation of these technologies to different agricultural settings and target crops and different soils or growing media.



#### WHAT'S BEHIND OUR TECHNOLOGY

Los Alamos has incorporated inputs from years of research and development, and experience in environmental sciences and monitoring, plant physiology and microbial ecology to offer a means for optimizing agricultural systems and plant performance. The combination of our unique laboratory scale methodologies in: 1) enhanced remote sensing and other fast detection methods for quick phenotyping; 2) system-level analyses of plant-soil-microbiome interactions using machine learning; and 3) engineered pre- and probiotics may provide a prospective collaborative partner with unique competitive advantages when applied at the commercial scale. Once fully developed, these technologies may provide means to develop practices and protocols to minimize plant resource use, maximize productivity and nutrient density, reduce greenhouse gas emissions, and increase profits.



#### **OUR COMPETITIVE ADVANTAGES**

Our capabilities have the potential to provide a competitive advantage with our combinatorial approach to address three distinct challenges in precision farming: 1) enhanced monitoring; 2) system-level analyses of plant-soil-microbiome; and 3) engineered pre- and probiotics to enhance plant productivity through optimal nutrient and water use. Our combinatorial approach is well suited to be scaled up from the laboratory scale to commercial field scale application.



#### **OUR TECHNOLOGY STATUS**

Los Alamos capabilities in plant functional measurements and environmental monitoring are well established at the laboratory bench scale. We are seeking a commercialization partner to further develop our methodologies in fast plant phenotyping and microbiome optimization, apply, and adapt them to field scale commercial application. Although we have a conceptual model for scale up of our methodologies, funding from a commercialization partner through a Cooperative Research and Development Agreement is necessary to convert concepts to commercially viable technologies that allow for testing under a number of different environmental conditions.



#### PUBLICATIONS AND IP

Albright MBN, Sevanto S, Gallegos-Graves L, Dunbar J. 2020. Biotic interactions are more important than propagule pressure in microbial community invasion. *mBio* 11: e02089-20. **DOI:** 10.1128/mBio.02089-20

Gehring C, Sevanto S, Patterson A, Ulrich DEM, Kuske CR. 2020. Ectomycorrhizal and dark septate fungal associations of pinyon pine are differentially affected by drought and warming conditions. *Frontiers in Plant Science* <a href="https://doi.org/10.3389/fpls.2020.582574">https://doi.org/10.3389/fpls.2020.582574</a>

Grossiord C, Sevanto S, Dawson T, Adams H, Collins A, Dickman LT, Newman B, Stockton E, McDowell N. 2017. Warming combined with more extreme precipitation regimes modifies water sources of trees. *New Phytologist* 213: 584-596.

Heerah S, Frausto-Vicencio I, Parker HA, Carr M, Jacobs N, Podolske JR, Thiruvenkatachari RR, Ding Y, Fischer ML, Jeong S, Venkatram A, Frankenberg C, Hopkins FM, Dubey MK. 2019. Regional observations of methane emissions from California's dairies using ground and space-based remote sensing. *America Geophysical Union*, Fall meeting Abstract A53F-06.

Mandernack KW, Milla CT, Johnson CA, Rahn T, Kinney C. 2009. The d15N and d18O values of N2O produced during the co-oxidation of ammonia by methanotrophic bacteria. *Chemical Geology* 267: 96-107.

Marias DE, Sevanto S, Ryan M, Albright MBN, Johansen RB, Dunbar J. 2019. Plant-microbe interactions before drought influence plant physiological responses to subsequent severe drought. *Nature Scientific Reports* 9: 249.

Mrad A, Sevanto S, Domec J-C, Liu Y, Nakad M, Katul G. 2019. A dynamic optimality principle for water use strategies explains isohydric and anisohydric plant responses to drought. Frontiers in Forests and Global Change doi.org/10.3389/ffgc.2019.00049

Sevanto S, Grossiord C, Klein T, Reed S. 2020. Editorial for the Research Topic: Plant-Soil Interactions under Changing World. Frontiers in Plant Science doi: 10.3389/fpls.2020.621235

Sevanto S. 2018. Drought impacts on phloem transport. Current Opinion in Plant Biology 43: 76-81. Sevanto S. 2014. Phloem transport



Sevanto S, McDowell NG, Dickman LT, Pangle R, Pockman WT. 2014. How do trees die? A test of the hydraulic failure and carbon starvation hypotheses. Plant, Cell and Environment 37:153-161.

